

Cleaning Legend (Blank = not Supported)
S = Standard Cleaning Only Supported
G = Generic Cleaning Only Supported
B = Both methods of Cleaning Supported

Hardware Compatibility Matrix

NETVAULT 7

Libraries and Autoloaders

Green Color Indicates Testing at Third Party Labs or model approved on OEM Equivalence

NOTE: NetVault supports the library and tape devices listed below on all operating systems that are supported by NetVault as either a backup server or SmartClient™ platform unless otherwise noted. Some device restrictions will be imposed by third party vendors for usages with their applications or operating platforms, please consult with your resellers or solution vendors to ensure your devices are fully supported by all vendors. Please see the Supported Drive Matrix for Important Notes regarding the latest available drive support for libraries included in this matrix. After a new drive type is listed as supported in the drives matrix it will be supported in all libraries.

Vendor	Model	Interface Tested	Drive Type	Minimum Library Firmware Level	Cleaning Tape Support	Notes:
ADIC Pathlight VX	VX-450 VX-650	FC	LTO-1 LTO-2	1.1.0 Build21	N/A	Disk based emulation of tape library and drives. Only the Pathlight VX sign-on string is supported for library emulation, see Application Note for details.
ADIC	AML/J	SCSI	LTO-1 AIT-2	3.12		Requires ADIC DAS client software and NetVault VaultShare for DAS plugin option. Contact sales representative for latest platform availability.
ADIC	Scalar 24	SCSI / iSCSI*	LTO-1 LTO-2 LTO-3 SDLT SDLT600	003.0L3	S S S S	Read Application Note for complete drive cleaning details. * iSCSI support is Windows only using LTO-1 / LTO-2 drives, SNC 4501 iSCSI Bridge and Adaptec 7211 iSCSI Initiator and driver.
ADIC	Scalar 100	SCSI / iSCSI*	LTO-1 LTO-2 LTO-3 AIT - 2 AIT - 3 DLT7000 DLT8000 SDLT SDLT600	TBD TBD 6.02A TBD TBD TBD TBD TBD	S	Read Application Note for complete drive cleaning details. * iSCSI support is Windows only using LTO-1 / LTO-2 drives, SNC 4500 iSCSI Bridge and Adaptec 7211 iSCSI Initiator and driver.
ADIC	Scalar 210	SCSI	AIT - 1	TBD		
ADIC	Scalar 218	SCSI	DLT7000 DLT8000	0106 TBD	S S	
ADIC	Scalar 218	FC	DLT7000 DLT8000	0106 TBD	S S	
ADIC	Scalar 220	SCSI	AIT-2	TBD		
ADIC	Scalar 1000	SCSI / FC	LTO-1 LTO-2	TBD TBD		
ADIC	Scalar 1000	SCSI	DLT7000 DLT8000 SDLT	TBD TBD TBD	S S	
ADIC	Scalar 1000	SCSI	AIT - 2 AIT - 3 3590	TBD TBD TBD	S	
ADIC	Scalar 10K	SCSI / FC	LTO-1 LTO-2 LTO-3	200a.T0001 200a.T0001 300a.T0001		
ADIC	Scalar 10K	SCSI	SDLT220 SDLT320 AIT - 2 AIT - 3 3590	200a.T0001 200a.T0001 200a.T0001 200a.T0001 200a.T0001		

ADIC	Scalar i2000	SCSI / FC	LTO-1	400A		Requires new device template (SCi2004.npk)
			LTO-2		S	
			LTO-3			
			SDLT600			
ADIC	Scalar i500	SCSI/FC	LTO-2	TBD		
			LTO-3	200G.GS005	S	
ADIC	FastStor2	SCSI	SDLT320	F10r	G	Read Application Note for SDLT 320 cleaning details
			LTO-1			
			LTO-2			
ADIC	FastStor7	SCSI	DLT4000	TBD	S	
			DLT7000	TBD	S	
			DLT8000	TBD	S	
			LTO-1	TBD		
ADIC	FastStor22	SCSI	DLT4000	TBD	S	
			DLT7000	TBD	S	
			DLT8000	TBD	S	
Alacritus	Nissho VTLA	FC	DLT7000	022C	N/A	ATL P1000 Library Emulation Mode Supported
			DLT8000		N/A	
Alacritus	Nissho VTLA AN300	FC	LTO-1	022C	N/A	ATL P1000 Library Emulation Mode Supported
			LTO-2			
Alacritus	Nissho VTLA 5000	FC	DLT8000	022C	N/A	ATL P1000 Library Emulation Mode Supported
			LTO-1			
			LTO-2			
			HP LTO-2			
Alacritus	Hitachi VF100	FC	DLT7000	022C	N/A	ATL P1000 Library Emulation Mode Supported
			DLT8000		N/A	
ATTO	Diamond Storage Array VT-Class	SCSI/FC	ATTO Diamond Tape	6.30 Build 022K	N/A	ATTO Diamond Storage Array is a disk subsystem emulating a virtual tape library and drives. See Application Notes for additional details.
BDT	ThinStor Autoloader	SCSI	AIT - 2	0200 0120 0110		
			AIT - 3	0200 0120 0110		
			SDLT320	0200 0120 0110		
			LTO-1	0200 0120 0110		
BDT	ThinStorPlus Autoloader	SCSI	LTO-2	1.30		
			LTO-3	1.30		
			SDLT600	1.20		
Benchmark	VS640	SCSI	VS Tape 80	5032	S	
BreeceHill	Q2.15	SCSI	DLT7000	1.71	S	
			DLT8000	1.71	S	
			SDLT	TBD	N/A	
			DLT1	TBD		
BreeceHill	Q7	SCSI	DLT4000	4.53	S	
			DLT7000	TBD	S	
BreeceHill	Q47	SCSI	DLT4000	4.53	S	
			DLT7000	TBD	S	
BreeceHill	4.30	SCSI	DLT7000	4.04	S	
			DLT8000	4.04	S	
			SDLT	TBD	N/A	
			LTO-1	TBD		
BreeceHill	4.50	SCSI	DLT7000	4.04	S	
			DLT8000	4.04	S	
			SDLT	TBD	N/A	
			LTO-1	TBD		
BreeceHill	6.100	SCSI	DLT7000	4.04	S	
			DLT8000	4.04	S	
			SDLT	TBD	N/A	
			LTO-1	TBD		

BreeceHill	8 PAK	SCSI	AIT-1	TBD		
			AIT-2	1.71		
			AIT-3	1.71		
BreeceHill	10 PAK	SCSI	SDLT	1.25	G	Read Application Note for SDLT cleaning details
			LTO-1			
			LTO-2			
			SAIT-1		G	
BreeceHill	16 PAK	SCSI	AIT-1	TBD		
			AIT-2	TBD		
			AIT-3	TBD		
Certance (Seagate RSS)	DDS4 Autoloader	SCSI	DDS4	8110		
Certance (Seagate RSS)	DAT432 Autoloader	SCSI	DAT72	A060	S	Read Application Note for cleaning details
Certance (Seagate RSS)	CLL1600	SCSI	LTO-1	S13.r		
Certance (Seagate RSS)	CLL6400	SCSI	LTO-3	V11x	G	Generic – requires cleaning slots and/or barcode prefix
Certance (Seagate RSS)	CLL3200 / Ultrium 2 Autoloader / LTO2 Autoloader	SCSI	LTO-2	S40.r	S	Read Application Note for cleaning details
Certance (Seagate RSS)	Viper 2000	SCSI	LTO-1	1.17		
Certance (Seagate RSS)	CP3100	SCSI	DAT72	A06B	N/A	Disk based tape emulation of DAT432 Autoloader.
Compaq	ESL9198 DLX	SCSI/FC*	DLT 40/80	3.20p5	S	
Compaq	ESL9198 SL	SCSI/FC*	SDLT	3.20p5		
Compaq	ESL9326 D	SCSI/FC*	DLT 35/70	3.20p5	S	
Compaq	ESL9326 DX	SCSI/FC*	DLT 40/80	3.20p5	S	
Compaq	ESL9326 SL	SCSI/FC*	SDLT	3.20p5		
Compaq	ESL9595 SL	SCSI/FC*	SDLT	3.20p5		
Compaq	MSL5026 DLX	SCSI/FC*	DLT 40/80	3.11	S	
Compaq	MSL5026 SL	SCSI/FC*	SDLT	3.11		
Compaq	MSL5052 SL	SCSI/FC*	SDLT	3.11		
Compaq	SSL2020 TL	SCSI	AIT-2	4.15	S	
Compaq	TL891 DLX	SCSI	DLT 40/80	5.25	S	
Compaq	TL895 DLT	SCSI	DLT 35/70	2.40p2	S	
* NOTE: Compaq FC support requires optional Modular Data Router						
Copan	Copan Systems Revolution 200T	FC	Various See App Notes	3.00 Build 1069	N/A	Copan Systems Revolution 200T are disk subsystems emulating virtual tape libraries with a variety of supported drive and media types. See Application Notes for library and drive emulation modes supported.
Dell	PowerVault 120T	SCSI	DDS4	L0u6	S	
Dell	PowerVault 122T	SCSI	LTO-1	D34R	G	
			LTO-2	K17R	S	
			DLT vs80	5032	S	
Dell	PowerVault 124T	SCSI	LTO-2	0008	S	
			DLT vs160			
Dell	PowerVault 132T	SCSI	LTO-1	105D	S	Read Application Note for SDLT 320 cleaning details
			LTO-2	105D	S	
			LTO-3	227D	S	
			SDLT320	105D	S	
			SDLT	105D	S	
Dell	PowerVault 136T	SCSI/FC	SDLT	3.03		Read Application Note for LTO-2 cleaning details
			LTO-2		S	
			LTO-3			
Dell	PowerVault ML6000	SCSI/FC	LTO-3	200G.GS005	S	Uses ADIC i500 Template

DSM	Terastore TL Series	SCSI	Mammoth-2	3.2.18		
			AIT-3	3.2.18		
			LTO-1	3.2.18		
EMC	NDMP2D Feature	NDMP	See App Notes	DART OS 5.4	N/A	Requires NDMP Plugin Version 6.302. The NDMP2D Feature provides virtual tape support for the Celerra Disk Sub-systems.
EMC CDL	DL-300 DL-700	FC	Various See App Notes	1.2 Build 1061	N/A	EMC Clariion Disk Library DL-Series are disk subsystems emulating virtual tape libraries with a variety of supported drive and media types. See Application Notes for library and drive emulation modes supported.
Exabyte	440 / 480	SCSI	820	TBD	S	
			Mammoth	TBD	S	
Exabyte	EZ17	SCSI	Mammoth	TBD	S	Read Application Note for Mammoth-2 cleaning details
			Mammoth-LT	TBD	S	
			Mammoth-2	1.7.4	S	
Exabyte	X80	SCSI	Mammoth	TBD	S	Read Application Note for Mammoth-2 cleaning details
			Mammoth-2	2.6.1	S	
Exabyte	X200	SCSI	Mammoth	TBD	S	Read Application Note for Mammoth-2 cleaning details
			Mammoth-2	TBD	S	
Exabyte	430M	SCSI	Mammoth	TBD	S	Read Application Note for Mammoth-2 cleaning details
			Mammoth-2	2.4.5	S	
Exabyte	215M	SCSI	Mammoth	TBD	S	Read Application Note for Mammoth-2 cleaning details
			Mammoth-2	TBD	S	
Exabyte	Magnum 1x7	SCSI	LTO-2	B003	S	
			LTO-3	B006		
Exabyte	Magnum 8x143 (Magnum20)	SCSI/FC	LTO-1	2.0.7	S	
			LTO-2	2.0.7	S	
			LTO-3	2.0.7		
Exabyte	221L	SCSI/FC	LTO-1	2.4.5	S	FC Firmware minimum is 11.6.2
			LTO-2		S	
			LTO-3	3.6.2		
Exabyte	110L	SCSI	LTO-1	2.18.2	S	
			LTO-2		S	
			LTO-3	3.6.2		
Exabyte	230D	SCSI	DLT7000	2.6.3	S	
Exabyte	AutoPak 1x10	SCSI	VXA-1	E35r		
			VXA-2	E35r	S	
Exabyte	VXA-2 PacketLoader 1x10 1U	SCSI	VXA-2	A102	S	
Exabyte	VXA-2 PacketLoader 10	Firewire 800	VXA-2	A108	S	Supported with NetVault 7.1.1 (and higher) for Mac OSX only. Requires Mac OSX Support Pack 2. See Application Notes for additional information before installing.
Exabyte	VXA-320 PacketLoader 1x10 1U	SCSI	VXA-320	A102		
Exabyte	AutoPak 1x15	SCSI	VXA-1	2848	S	
Exabyte	AutoPak 1x7	SCSI	VXA-2	1.11.2	S	
FalconStor	IPStor Virtual Tape Library	FC	Various See App Notes	3.0 Build 1047	N/A	IPStor Virtual Disk Library is a software product emulating virtual tape libraries with a variety of supported drive and media types. See Application Notes for library and drive emulation modes supported.
Fujitsu Siemens	Scalar 100	SCSI	LTO-1	TBD		
		SCSI	LTO-2	TBD		
		SCSI	AIT-2	TBD		
		SCSI	AIT-3	TBD		
		SCSI	DLT7000	TBD		
		SCSI	DLT8000	TBD		
		SCSI	SDLT	TBD		

Fujitsu Siemens	ETERNUS LT130	SCSI/FC	LTO-1	0416	S	
		SCSI/FC	LTO-2	0416	S	
		SCSI/FC	LTO-3	0512	G	
Fujitsu Siemens	ETERNUS LT160	SCSI/FC	LTO-1 LTO-2	0109	S	
Fujitsu Siemens	ETERNUS LT270	FC	LTO-2 LTO-3	1020	G	
Fujitsu Siemens	PG-DTA103	SCSI/FC	DAT-72	B410		Uses SW72x6 Template
Fujitsu Siemens	PG-LTL201	SCSI/FC	LTO-2	0002	S	Uses Necitold Template
Grau	ITL-M Series ITL-250L	SCSI	AIT-2	1.7.7.22		
			AIT-3			
			SAIT-1			
			LTO-2			
			LTO-3		S	
Hitachi	4697-L700A	SCSI	LTO-2	3.08.01		
Hitachi	4697-L220RD	SCSI	LTO-2	2.15.03	S	
Hitachi	DL121-10	SCSI	GF-2050	Z019		
HP	Surestore 1/8	SCSI	LTO-1	H33r	G	
			DLT vs80	482A	S	
HP	Surestore 1/9	SCSI	DLT1	TBD		
			DLT8000	2260	S	
			LTO-1	TBD		
HP	Surestore 418, 718, 818	SCSI	DLT4000	TBD	S	
			DLT7000	TBD	S	
			DLT8000	TBD	S	
HP	Surestore DAT24x6 C1557A	SCSI	DDS-3	TBD		
HP	Surestore DAT40x6 C5713A	SCSI	DDS-4	H312 H910	S	Note: Firmware level H307 does not support cleaning. Read Application Note for cleaning details
HP	Surestore DAT72x6 Q1529A	SCSI	DAT-72	TBD	S	
HP StorageWorks	SSL1016	SCSI	DLT1	000A		
			SDLT220	000A	G	
			SDLT320	000A	G	
			LTO-1	H43R	G	
			LTO-2	000A	S	
HP StorageWorks	35GB Autoloader	SCSI	AIT-1	1.17	G	Uses Sony Lib-81 Template
HP StorageWorks	1/8 Autoloader	SCSI	LTO-1	H33R	G	
			LTO-2	N12R	S	
			LTO-3	1.46		
			DLT vs80	482A	S	
			SDLT320	F10r	G	
HP StorageWorks	MSL2024	SCSI	LTO-2	1.70 / 1.30e		
			LTO-3	TBD		
HP StorageWorks	MSL5000 Series	SCSI/FC*	SDLT320			Read Application Note for cleaning details
			LTO-1	0404	S	
HP StorageWorks	MSL6000 Series	SCSI/FC*	SDLT600	5.13		Read Application Note for cleaning details
			LTO-2	4.22	S	
			LTO-3	0507	G	
HP StorageWorks	EML E-Series	FC	LTO-2	1022 (5.73.00)		Read Application Note for cleaning details
			LTO-3		G	
HP StorageWorks	ESL E-Series	FC	LTO-2	1.01	S	
			SDLT320		G	
HP StorageWorks	ESL9198 DLX	SCSI/FC*	DLT 40/80	3.20p5	S	
HP StorageWorks	ESL9198 SL	SCSI/FC*	SDLT	3.20p5	G	

HP StorageWorks	ESL9326 D	SCSI/FC*	DLT 35/70	3.20p5	S	
HP StorageWorks	ESL9326 DX	SCSI/FC*	DLT 40/80	3.20p5	S	
HP StorageWorks	ESL9326 SL	SCSI/FC*	SDLT	3.20p5	G	
HP StorageWorks	ESL9322	SCSI/FC*	SDLT220	3.20p5	G	
			SDLT320		G	
			LTO-1		S	
			LTO-2		S	
HP StorageWorks	ESL9595	SCSI/FC*	SDLT220	3.20p5	G	
			SDLT320		G	
			LTO-1		S	
			LTO-2		S	
HP StorageWorks	MSL5026 DLX	SCSI/FC*	DLT 40/80	3.11	S	
HP StorageWorks	MSL5026 S2	SCSI/FC*	SDLT320	3.11	G	
HP StorageWorks	MSL5026 SL	SCSI/FC*	SDLT220	3.11	G	
HP StorageWorks	MSL5052 SL	SCSI/FC*	SDLT	3.11	G	
HP StorageWorks	SSL2020 TL	SCSI	AIT-2	4.15	S	
HP StorageWorks	TL891 DLX	SCSI	DLT 40/80	5.25	S	
HP StorageWorks	TL895 DLT	SCSI	DLT 35/70	2.40p2	S	
* NOTE: StorageWorks FC support requires optional Modular Data Router						
IBM	Magstar 3590 B11/E11	SCSI	3590	B88C		
IBM	3575	SCSI	3570C/A	2.19		
IBM	3581	SCSI	LTO-1	TBD		
			LTO-2	1.60		
			LTO-3	TBD		
IBM	3582	SCSI	LTO-2	217B		
		SCSI/FC	LTO-3	307B	S	
IBM	3583	SCSI/FC	LTO-1	2.05.0003	S	Adaptec SCSI Driver version 6.4.630.100 is required on Windows 2000.
		SCSI/FC	LTO-2	2.05.0003	S	
		SCSI/FC	LTO-3	TBD	S	
IBM	3584	SCSI	LTO-1	0BN1 v1200	S	
		FC	LTO-2	v2140	S	
		FC	LTO-3	TBD	S	
		FC	3592	N/A		
IBM	3607	SCSI	SDLT	0015		
			LTO-1	0002	S	
IBM	36232LX	SCSI	LTO-2	1.30		
IBM	36232SX	SCSI	SDLT-320	1.30		
IBM	360726X	SCSI	LTO-1	000F	S	
IBM	4560SLX	SCSI	LTO-1	2.21		
			LTO-2			
IBM	TS3310 (3576)	SCSI/FC	LTO-3	150G.GS002	S	
Lynx Technologies	LX30	SCSI	LTO-1	4.04	S	Read Application Note for cleaning details. Use Compaq Template 'MSL5.TPL'.
			LTO-2			
Lynx Technologies	LX60	SCSI	LTO-1	4.21	S	Read Application Note for cleaning details. Use Compaq Template 'MSL5.TPL'.
			LTO-2			
Matsushita Kotobuki	DDS Backup Library	SCSI	DDS-4	9A29		
Matsushita Kotobuki	DAT72 Library	SCSI	DAT72	BA03	G	
NEC	TL620	SCSI	TRAVAN	TBD		
NEC Compact Autoloader	(DL0101H)	SCSI	DLT8000	0002	S	
	(LL0101H)	SCSI	LTO-1	0002		
	(LL0101H)	SCSI	LTO-2	0002	S	
	(LL0101H)	SCSI	LTO-3	0004	B	
	(SL0101H)	SCSI	SDLT	0003	N/A	

NEC	iStorage T180	SCSI	LTO-1	TBD		
			LTO-2	TBD		
			LTO-3	TBD		
NEC	iStorage T700	SCSI	LTO-1	TBD		
			LTO-2	TBD		
			LTO-3	TBD		
NEC	iStorage T40	SCSI	LTO-1	TBD		
			LTO-2	TBD		
			LTO-3	TBD		
NEC	iStorage T40A	SCSI/FC	LTO-2	0002	S	IBM and HP LTO-2 drives supported
			LTO-3	0004	S	IBM and HP LTO-3 drives supported
NEC	iStorage T16A	SCSI	LTO-2	0001	S	IBM LTO-2 and IBM/HP LTO-3 drives supported
			LTO-3	0001	S	
NEC	iStorage T80	SCSI	LTO-1	TBD		
			LTO-2	TBD		
			LTO-3	TBD		
NetApp	NearStore VTL	FC	Various See App Notes	0001		See App Notes for emulation modes supported.
Overland Storage	Loader-Xpress	SCSI	DLT4000	TBD	S	
			DLT1	0517	S	
			DLT7000	TBD	S	
			DLT8000	TBD	S	
			LTO-1	1.18		
			LTO-2	TBD		
			LTO-3	1.07		
			SDLT	TBD	N/A	
Overland Storage	Power -Loader	SCSI	DLT1	5.24	S	
			DLT8000	5.24	S	
			SDLT	1.04	N/A	
			LTO-1	v1.00		
			LTO-2	TBD		
			LTO-3	v1.07		
Overland Storage	Library-Xpress	SCSI	DLT4000	TBD	S	
			DLT7000	TBD	S	
			DLT8000	022B	S	
			SDLT	TBD	N/A	
Overland Storage	Neo Series 2000 / 4000	SCSI/FC GBE iSCSI	DLT8000	2.21	S	Note: iSCSI is supported on Windows Platform only, see application notes for details.
			LTO-1	2.21	B	
			LTO-2	2.21	S	
			LTO-3	2.21		
			SDLT220	2.21		
			SDLT320	2.21		
			SDLT600	2.21	S	
Overland Storage	Neo Series 8000	SCSI/FC	SDLT600	1.x	S	
			LTO-2	1.x		
			LTO-3	1.x	S	
Overland Storage	REO 1000	iSCSI	LTO-2	2.1.1.34	N/A	Configurable as either a disk sub-system for a NetVault Virtual Disk Library and/or a virtual tape library emulating HP LTO-2 devices. See application notes for details on supported configuration options.
	REO 4000	iSCSI/FC	LTO-2			
	REO 9000	iSCSI/FC	LTO-2			
Overland Storage	LibraryPro	SCSI	AIT-1	TBD	S	
		SCSI	AIT-2	TBD	S	
		SCSI	AIT-3	TBD	S	
Plasmon	V10 (LTO 10.1)	SCSI	LTO-1	2.4.5	S	
			LTO-2		S	
Plasmon	V15	SCSI	AIT-2	12.11.5		
			AIT-3	12.11.5		
Plasmon	V21 (LTO 21.2)	SCSI	LTO-1	2.4.7	S	
			LTO-2		S	
Plasmon	V30	SCSI	AIT-2	12.11.5		
			AIT-3	12.11.5		

Plasmon	V40	SCSI	LTO-1	1.04		
			LTO-2	1.06		
Plasmon	V60	SCSI	LTO-1	1.04		
			LTO-2	1.06		
Plasmon	V68	SCSI	LTO-1	1.04		
			LTO-2	1.06		
Plasmon	V102 (LTO 100.6)	SCSI	LTO-1	1.03		
			LTO-2	1.06		
Plasmon	D-Series	SCSI	DVD-RAM	1.17	N/A	Please see application note for support details
Qualstar	TLS 4 series	SCSI	AIT-1	TBD	S	
			AIT-2	2.09	S	
			AIT-3	2.09		
Qualstar	TLS 5 series	SCSI	SAIT-1	TBD		
Qualstar	TLS 6 series	SCSI	DLT 8000	TBD	S	
			SDLT	TBD	N/A	
			SDLT600	TBD		
Qualstar	TLS 8 series	SCSI	LTO-1	TBD	S	
			LTO-2	TBD	S	
Qualstar	RLS Series	SCSI	AIT-2	0003		
			AIT-3	0003		
			LTO-1	0003		
			SDLT320	0003		
			SDLT600	0003		
Quantum	ATL SuperLoader 1280L	SCSI	DLT4000	TBD		
			DLT1	V 13.0		
Quantum	ATL SuperLoader	SCSI	LTO-1	0006		
			LTO-2	0006	S	
			SDLT320	V 13.0	G	
			SDLT600	TBD		
Quantum	ATL SuperLoader 3	SCSI	SDLT600	000C	G	
			LTO-2			
			DLT VS 160			
Quantum	ValueLoader	SCSI	LTO-1	3203 0130	S	
			LTO-2			
			SDLT320			
			DLT VS 80			
			DLT VS 160			
Quantum	ATL M1500	SCSI	DLT8000	2.02	S	
			SDLT220	2.02		
			SDLT320	2.02		
			LTO-1	2.02		
			LTO-2	2.02		
			SDLT600	TBD		
Quantum	ATL M1800	SCSI	DLT8000	2.10	S	Uses M1500 Library Template
			SDLT220	2.10		
			SDLT320	2.10		
			LTO-1	2.10		
			LTO-2	2.10		
Quantum	ATL M2500	SCSI	DLT8000	2.02	S	
			SDLT220	2.02		
			SDLT320	2.02		
			LTO-1	2.02		
			LTO-2	2.02		
Quantum	PX 720 Mako	SCSI/FC	LTO-2	1.10p	S	
			LTO-3			
			SDLT320		G	
			SDLT600		G	

Quantum	ATL P1000	SCSI	DLT4000	TBD	S	
			DLT7000	TBD	S	
			DLT8000	TBD	S	
			SDLT	TBD	N/A	
Quantum	ATL 7100	SCSI	DLT7000	TBD	S	
			DLT8000	TBD	S	
			SDLT	TBD	N/A	
Quantum	ATL P2000	SCSI/FC	DLT7000	TBD	S	
			DLT8000	TBD	S	
			SDLT	TBD	N/A	
			LTO-1	TBD		
Quantum	ATL P3000	SCSI/FC	DLT7000	TBD	S	
			DLT8000	TBD	S	
			SDLT	TBD	N/A	
			LTO-1	TBD		
Quantum	ATL P4000	SCSI/FC	DLT8000	TBD	S	
			SDLT	TBD	N/A	
			LTO-1	TBD		
Quantum	ATL P6000	SCSI/FC	DLT7000	TBD	S	
			DLT8000	TBD	S	
			SDLT	TBD	N/A	
			LTO-1	TBD		
Quantum	ATL P7000	SCSI/FC	DLT8000	TBD	S	
			SDLT	TBD	N/A	
			LTO-1	TBD		
Quantum	DX30 EBS	FC	DLT7000 (E)	02.10.16	N/A	"Enhanced Backup Systems (EBS)" are disk subsystems emulating virtual tape libraries with DLT7000 drives. See Application Notes for library emulation modes supported.
	DX100 EBS		DLT7000 (E)	02.10.16	N/A	
Septon	S2100 ES2	SCSI/FC	Various See App Notes	Various based on Library model See App Notes	N/A	Septon S2100 Virtual Disk Library emulates virtual tape libraries with a variety of supported drive and media types. See Application Notes for firmware requirements and library and drive emulation modes supported.
Seagate RSS (Certance)	DDS4 Autoloader	SCSI	DDS4	8110		
Seagate RSS (Certance)	DAT432 Autoloader	SCSI	DAT72	A060	S	Read Application Note for cleaning details
Seagate RSS (Certance)	CLL1600	SCSI	LTO-1	S13.r		
Seagate RSS (Certance)	CLL3200 / Ultrium 2 Autoloader / LTO2 Autoloader	SCSI	LTO-2	S40.r	S	Read Application Note for cleaning details
Seagate RSS (Certance)	Viper 2000	SCSI	LTO-1	1.17		
Seagate RSS (Certance)	CP3100	SCSI	DAT72	A06B	N/A	Disk based tape emulation of DAT432 Autoloader.
Sony	TSL-A300C	SCSI	AIT	TBD		
Sony	TSL-A500C	SCSI	AIT			
Sony	TSL-11000 Autoloader	SCSI	DDS-4	L0u6	S	
Sony	LIB-81	SCSI	AIT-1	0100	S	AIT-3 Ex drives are supported with standard cleaning
			AIT-2	0100	S	
			AIT-3	0100	S	
			AIT-4	0106	S	
Sony	LIB-D81	SCSI	AIT-1	0100	S	
			AIT-2	0100	S	
			AIT-3	0100	S	
			AIT-4	0104	S	
Sony	LIB-152 / E	SCSI	AIT-1	1019	S	
			AIT-2	1019	S	
			AIT-3	1019		

Sony	LIB-162	SCSI	AIT-1	0102	S	AIT-3 Ex drives are supported with standard cleaning
			AIT-2	0102	S	
			AIT-3	0102	S	
			AIT-4	0203	S	
Sony	LIB-302	SCSI	AIT-1	S019	S	
			AIT-2	S019	S	
			AIT-3	S019		
Sony	LIB-304	SCSI	AIT-2	TBD	S	
Sony	DMS-B9	SCSI	DTF2	1.20		
Sony	DMS-B80L	SCSI	DTF2 (GY 8240)	1.10		
Sony	DMS-B150L	SCSI	DTF2 (GY 8240)	1.10		
Sony	CSM-200 BS/BF	SCSI/FC	SAIT-1 SDZ100-SCSI SDZ130-FC	3.01	S	
	CSM-100 BS/BF					
	CSM-60 BS/BF					
	CSM-20			0102	G	
Spectra Logic	Spectra 2K	SCSI/FC	AIT-1	TBD	S	Both iSCSI and NDMP are supported GBE protocols
			AIT-2	TBD	S	
			AIT-3	1020		
		GBE	AIT-1	TBD	S	
			AIT-2	TBD	S	
			AIT-3	1020		
Spectra Logic	Spectra 10K	SCSI	AIT-2	5.00.15	S	
		FC	AIT-2	5.00.15	S	
Spectra Logic	Spectra 12K	SCSI	AIT-2	0126		
		FC	AIT-2	0126		
		GBE(NDMP)	AIT-2	4.1.16		
Spectra Logic	Spectra 20K	SCSI	AIT-3	0126		
		FC	AIT-3	0126		
		GBE(NDMP)	AIT-3	4.1.16		
Spectra Logic	Spectra 64K	SCSI	AIT-2	0126		
		FC	AIT-2	0126		
		GBE(NDMP)	AIT-2	4.1.16		
Spectra Logic	Spectra T50/S50	FC	LTO-2	Controller- 1.1.0.1 QIP- 5.0.0.18	S	
			LTO-3			
Spectra Logic	Spectra T120	FC	LTO-2	Controller- 1.1.0.1 QIP- 5.0.0.18	S	
			LTO-3			
			SAIT-1			
Spectra Logic	Spectra T950	FC	LTO-2	Controller- 1.1.0.1 QIP- 5.0.0.18	S	
			LTO-3			
			SDLT600			
			SAIT-1			
StorageTek	9310 PowerHorn	ACSL APM	9840	ACSL 6.0.1		
			9940			
			3592			
StorageTek	9710	SCSI & ACSL	DLT4000	TBD	S	
			DLT7000	TBD	S	
			DLT8000	TBD	S	
			9840	TBD	S	
StorageTek	9730	SCSI & ACSL	DLT4000	TBD	S	
			DLT7000	TBD	S	
StorageTek	9738 TimberWolf	ACSL APM	9840	ACSL 6.0.1	N/A	

StorageTek	9740	SCSI & ACSLS	DLT4000	2.00.02	N/A	
			DLT7000			
			9840			
			9940			
StorageTek	SL500	SCSI/FC	LTO-2	1.00.7 (5.46.00)	S	
			LTO-3		S	
StorageTek	SL8500	Requires ACSLS APM	9840B	ACSL 7.1	N/A	
			9840C			
			9940B			
			LTO-2			
StorageTek	L5500	Requires ACSLS APM	9840	ACSL 6.0.1	N/A	
			9940B			
			LTO-1			
StorageTek	L700	SCSI/FC & ACSLS	9840	3.06.00	S	See application notes for the latest details on tape cleaning support for specific device types.
			9940B			
			9840C		S	
			LTO-1			
			LTO-2		G	
			LTO-3		B	
			DLT7000		S	
			DLT8000		S	
			SDLT		N/A	
			SDLT600		G	
StorageTek	L1400M	SCSI/FC	9840	3.07.00	S	Note: Uses L700 Template. See application notes for the latest details on tape cleaning support for specific device types.
			9940B			
			9840C		S	
			LTO-1			
			LTO-2		G	
			LTO-3		B	
			DLT7000		S	
			DLT8000		S	
			SDLT		N/A	
			SDLT600		G	
StorageTek	L180	SCSI/FC & ACSLS	9840	2.00.00	S	See application notes for the latest details on tape cleaning support for specific device types.
			9840C	3.06.00	S	
			9940B	TBD		
			LTO-1	TBD		
			LTO-2	TBD	G	
			LTO-3		B	
			DLT7000	TBD	S	
			DLT8000	TBD	S	
			SDLT	TBD	N/A	
			SDLT600	TBD	G	
StorageTek	L80	SCSI	LTO-1	TBD		
			LTO-2	TBD		
			LTO-3	0215	G	
			DLT7000	TBD	S	
			DLT8000	1.20.00	S	
StorageTek	L40	SCSI	SDLT	TBD	N/A	
			LTO-1	TBD		
			LTO-2	TBD		
			LTO-3	0215	G	
			DLT7000	TBD	S	
StorageTek	L20	SCSI	DLT8000	1.20.00	S	
			SDLT	TBD	N/A	
			LTO-1	TBD		
			LTO-2	0213	B	
			LTO-3	0215	G	
StorageTek	L20	SCSI	DLT7000	0110	S	
			DLT8000	TBD	S	
			SDLT	TBD	N/A	
			DLT VS 160			
Sun StorEdge	C2	SCSI	SDLT600	000C	G	
			LTO-2			
			DLT VS 160			

Sun StorEdge	L8	SCSI	SDLT 320 LTO-1 LTO-2	F10r	G	Read Application Note for SDLT 320 Cleaning details
Sun StorEdge	L25	SCSI	SDLT320 SDLT600 LTO-1 LTO-2	2.02		Use M1500 Template or the Sun L25 Template available from Sun
Sun StorEdge	L100	SCSI	SDLT320 SDLT600 LTO-1 LTO-2	2.02		Use M1500 Template
Sun StorEdge	L500	SCSI/FC	LTO-2	1.00.7 (5.46.00)	S	Use STK SL500 Template or Sun L500 Template available from Sun
Sun StorEdge	L1000	SCSI	DLT7000 DLT8000	245F TBD		
Tandberg	SLR Autoloader	SCSI	SLR7 SLR60 SLR100	v2.07 v2.07 v2.07		
Tandberg	NEC LTO Autoloader	SCSI	LTO-1 LTO-2	0002 0002	S	
Tandberg	DLT Autoloader	SCSI	DLT8000	0002	S	
Tandberg	SDLT Autoloader	SCSI	SDLT220	TBD	N/A	
Tandberg	1U Storageloader	SCSI	LTO-2 DLT VS160	0140		
Tandberg	2U Autoloader	SCSI	LTO-1 LTO-2 LTO-3 SDLT320 SDLT600	1.20 / 1.30		
Tandberg	ATL M1500	SCSI	DLT8000 SDLT SDLT600 LTO-1	2.02 2.02 0a0a 2.02	S	
Tandberg	ATL M2500	SCSI	DLT8000 SDLT LTO-1	2.02 2.02 2.02	S	
Tandberg	S24	SCSI	LTO-2 LTO-3	109D / 227D		
Tandberg	TDS 1210	SCSI	SLR100	2.10B		
Tandberg	TDS 1420	SCSI	SLR100	2.10		
Tandberg	TDS 1440	SCSI	SLR100	2.10		